



New South Wales

Liquor Amendment (Sanitary Facilities) Regulation 1999

under the

Liquor Act 1982

His Excellency the Governor, with the advice of the Executive Council, has made the following Regulation under the *Liquor Act 1982*.

J. RICHARD FACE, M.P.,

Minister for Gaming and Racing

Explanatory note

Currently a restaurant with a seating capacity of 50 or less must have one male toilet, one urinal and one female toilet in order to obtain a liquor licence. The object of this Regulation is to amend the *Liquor Regulation 1996* to enable restaurants with a seating capacity of 20 or less to obtain a liquor licence if they have one unisex toilet. The Regulation also provides that a disabled toilet is to be counted as a male toilet (and urinal) or a female toilet, or both (if it is a unisex toilet), when determining whether or not a restaurant has or will have the required number of toilets.

This Regulation is made under the *Liquor Act 1982*, including sections 53 and 156 (the general regulation-making power).

1999 No 617

Clause 1 Liquor Amendment (Sanitary Facilities) Regulation 1999

**Liquor Amendment (Sanitary Facilities) Regulation
1999**

1 Name of Regulation

This Regulation is the *Liquor Amendment (Sanitary Facilities) Regulation 1999*.

2 Amendment of Liquor Regulation 1996

The *Liquor Regulation 1996* is amended as set out in Schedule 1.

3 Notes

The explanatory note does not form part of this Regulation.

Schedule 1 Amendments

(Clause 2)

[1] Clause 26 Sanitary facilities

Insert in alphabetical order in clause 26 (1):

disabled toilet means a toilet that is accessible by a person in a wheelchair and designed and equipped to facilitate use by such a person.

[2] Clause 26 (2)

Omit “closets” wherever occurring. Insert instead “toilets”.

[3] Clause 26 (3)

Insert after clause 26 (2):

- (3) For the purposes of determining whether or not a restaurant has the prescribed number of a class of sanitary facilities:
 - (a) a disabled toilet for women is considered to be one toilet for women, and
 - (b) a disabled toilet for men is considered to be one toilet for men and one urinal, and
 - (c) a unisex disabled toilet is considered to be one toilet for women, one toilet for men and one urinal, and
 - (d) in a case where the restaurant has a seating capacity of 20 or less, a unisex toilet is considered to be one toilet for women, one toilet for men and one urinal.

BY AUTHORITY
